


32 CHANNEL NVR

CATALOGUE



NETWORK VIDEO RECORDER

32 CHANNEL NVR

Features

32ch4M1080P video input;

HDMI/VGA simultaneous video output;

1.5U Case, 4 X SATA Interface (Up to 8TB);

H.265/H.264;

1*10/100/1000Mbps auto-sensing Ethernet port, RJ45 port

Automatic networking support, a key to add equipment;

Support the ONVIF protocol;

Support GB28181 (Optional);

Cloud services, P2P, alarm information push to phone;

Support remote access, support ARSP;

Support DHCP, FTP, DNS, DDNS, NTP, UPNP, EMAIL,

Mobile phone remote monitoring (iOS, Android);

Multi browser access (IE, Chrome, Firefox, Safari);

Support for more than twenty languages;

Perfect protection circuit, unique triple watchdog function;

Support WEB, CMS, VMS, MYEYE Platform;

Technical Parameters:

	Model	SA-NVR8032F-Q
System	Processor	Hi3536
	System	Embedded Linux
Video	Video Input	32ch4M1080P
	Playback	4ch5M/9ch4M/16ch1080P
	Decode	H.264
Audio	Compression	G.711A
	Intercom	Support
Management	Record Mode	Manual>Alarm>Motion detection>Timing
	Inquire Mode	Inquire by Time/Calendar/Event/Channel
	Storage Mode	HDD Storage, Network Storage
	Backup	Network, USB, SATA
Interface	HDMI Output	1*HDMI (MAX:4K)
	VGA Output	1*VGA (MAX:1080P)
	Ethernet Port	1*RJ45 1*10/100/1000Mbps Ethernet port,
	POE Ports	N/A
	Audio I/O	1/1
	Alarm I/O	16/4
	Usb Port	2*USB2.0 ports, 1*USB3.0 ports
	Hdd	4*SATA interface (Up to 8TB)
General	Temperature	0 °C - + 55 °C
	Humidity	10% -90% RH
	Power Supply	12V/6A
	Consumption	<10W (Without HDD)
	Weight	Around 1.6KG
	Dimension	440mm(L)* 400.5mm(W)* 60mm(H)